

NAME

epsffit – fit encapsulated PostScript file (EPSF) into constrained size

SYNOPSIS

epsffit [**-c**] [**-r**] [**-a**] [**-m**] [**-s**] *llx lly urx ury* [**infile** [**outfile**]]

DESCRIPTION

Epsffit fits an EPSF file (encapsulated PostScript) to a given bounding box. The coordinates of the box are given by (**llx, lly**) for the lower left, and (**urx, ury**) for the upper right, in PostScript units (points).

If no input or output files are specified, *epsffit* read from the standard input and writes to the standard output.

OPTIONS

- c** Center the image in the given bounding box.
- r** Rotate the image by 90 degrees counter-clockwise.
- a** Adjust the aspect ratio to fit the bounding box. The default is to preserve the aspect ratio.
- m** Rotates the image to maximise the size if it would fit the specified bounding box better.
- s** Add a *showpage* at the end of the file to force the image to print.

AUTHOR

Copyright (C) Angus J. C. Duggan 1991-1995

SEE ALSO

psbook(1), psselect(1), pstops(1), epsffit(1), psnup(1), psresize(1), psmerge(1), fixscribeps(1), getafm(1), fixdlrps(1), fixfmps(1), fixmacps(1), fixpsditps(1), fixpspps(1), fixtpps(1), fixfwps(1), fixwpps(1), fixwwps(1), extractres(1), includeres(1)

TRADEMARKS

PostScript is a trademark of Adobe Systems Incorporated.