

NAME

asy – Asymptote: a script-based vector graphics language

SYNOPSIS

asy [*options*] [*file* ...]

DESCRIPTION

Asymptote is a powerful descriptive vector graphics language for technical drawings, inspired by MetaPost but with an improved C++-like syntax. Asymptote provides for figures the same high-quality level of typesetting that LaTeX does for scientific text.

OPTIONS

If no arguments are given, Asymptote runs in interactive mode.

If "-" is given as the file argument, Asymptote reads from standard input.

A summary of options is included below. The effect of most options can be negated by prepending **no** to the option name. Default values for most options may also be entered in the file **.asy/config.asy** in the user's home directory using the long form:

```
import settings;
batchView=true;
```

For a complete description, see the Info files.

-V,-View

View output; command-line only.

-a,-align C|B|T|Z

Center, Bottom, Top, or Zero page alignment [C].

-antialias n

Antialiasing width for rasterized output [2]. -arcballradius pixels Arcball radius [750]

-auto3D

Automatically activate 3D scene [true].

-autoimport string

Module to automatically import.

-autoplain

Enable automatic importing of plain [true].

-autoplay

Autoplay 3D animations [false].

-autorotate

Enable automatic PDF page rotation [false].

-batchMask

Mask fpu exceptions in batch mode [false].

-batchView

View output in batch mode [false].

-bw

Convert all colors to black and white [false].

-cd directory

Set current directory; command-line only.

- cmyk** Convert rgb colors to cmyk [false].
- c, -command string**
Command to autoexecute.
- compact**
Conserve memory at the expense of speed [false].
- d, -debug**
Enable debugging messages [false].
- divisor n**
Garbage collect using `purge(divisor=n)` [2].
- doubleclick ms**
Emulated double-click timeout [200].
- embed**
Embed rendered preview image [true].
- exitonEOF**
Exit interactive mode on EOF [true].
- fitscreen**
Fit rendered image to screen [true].
- globalwrite**
Allow write to other directory [false].
- gray** Convert all colors to grayscale [false].
- h, -help**
Show summary of options; command-line only.
- historylines n**
Retain n lines of history [1000].
- iconify**
Iconify rendering window [false].
- inlineimage**
Generate inline embedded image [false].
- inlinetex**
Generate inline TeX code [false].
- interactiveMask**
Mask fpu exceptions in interactive mode [true].
- interactiveView**
View output in interactive mode [true].
- interactiveWrite**
Write expressions entered at the prompt to stdout [true].
- k, -keep**
Keep intermediate files [false].

- keepaux**
Keep intermediate LaTeX .aux files [false].
- level n**
Postscript level [3].
- l,-listvariables**
List available global functions and variables [false].
- localhistory**
Use a local interactive history file [false].
- loop** Loop 3D animations [false].
- m,-mask**
Mask fpu exceptions; command-line only.
- maxtile pair**
Maximum rendering tile size [(0,0)].
- maxviewport pair**
Maximum viewport size [(2048,2048)].
- multiline**
Input code over multiple lines at the prompt [false].
- multipleView**
View output from multiple batch-mode files [false].
- multisample n**
Multisampling width for screen images [4].
- O,-offset pair**
PostScript offset [(0,0)].
- f,-outformat format**
Convert each output file to specified format.
- o,-outname name**
Alternative output directory/filename.
- p,-parseonly**
Parse file [false].
- pdfreload**
Automatically reload document in pdfviewer [false].
- pdfreloaddelay usec**
Delay before attempting initial pdf reload [750000].
- position pair**
Initial 3D rendering screen position [(0,0)].
- prc** Embed 3D PRC graphics in PDF output [true].
- prompt string**
Prompt [>].

- prompt2 string**
Continuation prompt for multiline input [..].
- q,-quiet**
Suppress welcome message [false].
- render n**
Render 3D graphics using n pixels per bp (-1=auto) [-1].
- resizestep step**
Resize step [1.2].
- rgb** Convert cmyk colors to rgb [false].
- safe** Disable system call [true].
- scroll n**
Scroll standard output n lines at a time [0].
- spinstep deg/sec**
Spin speed [60].
- tabcompletion**
Interactive prompt auto-completion [true].
- tex engine**
latex|pdflatex|xelatex|tex|pdfTeX|context|none [latex].
- thick** Render thick 3D lines [true].
- thin** Render thin 3D lines [true].
- threads**
Use POSIX threads for 3D rendering [true].
- toolbar**
Show 3D toolbar in PDF output [true].
- s,-translate**
Show translated virtual machine code [false].
- twice** Run LaTeX twice (to resolve references) [false].
- twosided**
Use two-sided 3D lighting model for rendering [true].
- u,-user string**
General purpose user string.
- v,-verbose**
Increase verbosity level (can specify multiple times) [0].
- version**
Show version; command-line only.
- wait** Wait for child processes to finish before exiting [false].
- warn string**
Enable warning; command-line only.

-where

Show where listed variables are declared [false].

-zoomfactor factor

Zoom step factor [1.05].

-zoomstep step

Mouse motion zoom step [0.1].

SEE ALSO

Asymptote is documented fully in the asymptote Info page. The manual can also be accessed in interactive mode with the "help" command.

AUTHOR

Asymptote was written by Andy Hammerlindl, John Bowman, and Tom Prince.

This manual page was written by Hubert Chan for the Debian project (but may be used by others).